


MATERIALS OF CONSTRUCTION:  
PVC, CPVC, NYLON



Capacity:	x	Gallons				
Max Temp.:	x	F				
Max Press.:	x	PSI				
Weight:	x	Lbs.				
Voltage.:	x	VAC	x	Phs	x	Hz
FLA.:	x	amps				

20	x	x
19	x	x
18	x	x
17	x	x
16	x	x
15	x	x
14	x	x
13	x	x
12	x	x
11	x	x
10	x	x
9	x	x
8	x	x
7	x	x
6	x	x
5	x	x
4	x	x
3	x	x
2	x	x
1	x	x

#	PART	DESCRIPTION
F	x	xx/xx/xx
E	x	xx/xx/xx
D	x	xx/xx/xx
C	x	xx/xx/xx
B	x	xx/xx/xx

General Treatment Products, Inc.  
PO Box 8697, Brea, CA 92822  
Phone: 714) 257-9165  
Fax: 714) 257-9215  
<http://www.gtpcompany.com>  
[customerservice@gtpcompany.com](mailto:customerservice@gtpcompany.com)

Date: xx/xx/xx Scale: NTS Rev.: A

Description:  
PVC & CPVC COUPON HOLDER

Model:  
PCH07 & CPCH07

NOTICE: This drawing and its contents are for the specific use of GTP customers only. It is not to be duplicated or copied without expressed written consent of General Treatment Products, Inc. We reserve the right to modify this drawing without notice.



MATERIALS OF CONSTRUCTION:  
PVDF

Capacity: x Gallons  
 Max Temp.: 400 F  
 Max Press.: 200 PSI  
 Weight: 2 Lbs.  
 Voltage.: x VAC x Phs x Hz  
 FLA.: x amps

20	x	x
19	x	x
18	x	x
17	x	x
16	x	x
15	x	x
14	x	x
13	x	x
12	x	x
11	x	x
10	x	x
9	x	x
8	x	x
7	x	x
6	x	x
5	x	x
4	x	x
3	x	x
2	x	x
1	x	x


#	PART	DESCRIPTION
F	x	xx/xx/xx
E	x	xx/xx/xx
D	x	xx/xx/xx
C	x	xx/xx/xx
B	x	xx/xx/xx

General Treatment Products, Inc.  
 PO Box 8697, Brea, CA 92822  
 Phone: 714) 257-9165 <http://www.gtpcompany.com>  
 Fax: 714) 257-9215 [customerservice@gtpcompany.com](mailto:customerservice@gtpcompany.com)


Date: 11/01/13 Scale: NTS Rev.: A

Description:  
CSCH (PVDF) COUPON HOLDER

Model:  
CSCH07



NOTICE: This drawing and its contents are for the specific use of GTP customers only. It is not to be duplicated or copied without expressed written consent of General Treatment Products, Inc. We reserve the right to modify this drawing without notice.



**MATERIALS OF CONSTRUCTION:**

x

Capacity: x Gallons

Max Temp.: 70 F

Max Press.: 150 PSI

Weight: 2 Lbs.

Voltage.: x VAC x Phs x Hz

FLA.: x amps

20	x	x
19	x	x
18	x	x
17	x	x
16	x	x
15	x	x
14	x	x
13	x	x
12	x	x
11	x	x
10	x	x
9	x	x
8	x	x
7	x	x
6	x	x
5	x	x
4	x	x
3	x	x
2	x	x
1	x	x

#	PART	DESCRIPTION
F	x	xx/xx/xx
E	x	xx/xx/xx
D	x	xx/xx/xx
C	x	xx/xx/xx
B	x	xx/xx/xx


REV	DESCRIPTION	DATE
-----	-------------	------

General Treatment Products, Inc.  
 PO Box 8697, Brea, CA 92822  
 Phone: 714) 257-9165 <http://www.gtpcompany.com>  
 Fax: 714) 257-9215 [customerservice@gtpcompany.com](mailto:customerservice@gtpcompany.com)

Date: 11/01/13 Scale: NTS Rev.: A

Description:  
**POLYPROPYLENE BOWL STRAINER**

Model:  
**BSP**



MATERIALS OF CONSTRUCTION:  
 ALUMINUM, CARBON STEEL, BRASS,  
 COPPER, 304SS, 316SS  
 (OTHER MATERIALS AVAILABLE)

Capacity: N/A Gallons  
 Max Temp.: N/A F  
 Max Press.: N/A PSI  
 Weight: N/A Lbs.

20	x	x
19	x	x
18	x	x
17	x	x
16	x	x
15	x	x
14	x	x
13	x	x
12	x	x
11	x	x
10	x	x
9	x	x
8	x	x
7	x	x
6	x	x
5	x	x
4	x	x
3	x	x
2	x	x
1	x	x

#	PART	DESCRIPTION
F	x	xx/xx/xx
E	x	xx/xx/xx
D	x	xx/xx/xx
C	x	xx/xx/xx
B	x	xx/xx/xx


REV	DESCRIPTION	DATE
-----	-------------	------


General Treatment Products, Inc.  
 PO Box 8697, Brea, CA 92822  
 Phone: 714) 257-9165      <http://www.gtpcompany.com>  
 Fax: 714) 257-9215      [customerservice@gtpcompany.com](mailto:customerservice@gtpcompany.com)

Date: 1/1/12      Scale: NTS      Rev.: A

Description:  
**COUPON TEST SAMPLES**

Model:  
**CTS-XX**





MATERIALS OF CONSTRUCTION:  
BRASS, STAINLESS STEEL, DUCTILE IRON

Capacity: N/A Gallons

Max Temp.: 200 F

Max Press.: 200 PSI

Weight: 1 Lbs.

20	x	x
19	x	x
18	x	x
17	x	x
16	x	x
15	x	x
14	x	x
13	x	x
12	x	x
11	x	x
10	x	x
9	x	x
8	x	x
7	x	x
6	x	x
5	x	x
4	x	x
3	x	x
2	x	x
1	x	x

#	PART	DESCRIPTION
F	x	xx/xx/xx
E	x	xx/xx/xx
D	x	xx/xx/xx
C	x	xx/xx/xx
B	x	xx/xx/xx


REV	DESCRIPTION	DATE

General Treatment Products, Inc.  
PO Box 8697, Brea, CA 92822  
Phone: 714) 257-9165 <http://www.gtpcompany.com>  
Fax: 714) 257-9215 [customerservice@gtpcompany.com](mailto:customerservice@gtpcompany.com)

Date: 1/1/12 Scale: NTS Rev.: A

Description:  
FCB/FCS STEEL FLOW CONTROL VALVE

Model:  
FCBxx OR FCSxx



MATERIALS OF CONSTRUCTION:  
SCH80 PVC, BUNA N

Capacity:	N/A	Gallons				
Max Temp.:	70	F				
Max Press.:	150	PSI				
Weight:	1	Lbs.				
Voltage.:	x	VAC	x	Phs	x	Hz
FLA.:	x	amps				

20	x	x
19	x	x
18	x	x
17	x	x
16	x	x
15	x	x
14	x	x
13	x	x
12	x	x
11	x	x
10	x	x
9	x	x
8	x	x
7	x	x
6	x	x
5	x	x
4	x	x
3	x	x
2	x	x
1	x	x

#	PART	DESCRIPTION
F	x	xx/xx/xx
E	x	xx/xx/xx
D	x	xx/xx/xx
C	x	xx/xx/xx
B	x	xx/xx/xx



General Treatment Products, Inc.  
PO Box 8697, Brea, CA 92822  
Phone: 714) 257-9165      <http://www.gtpcompany.com>  
Fax: 714) 257-9215      [customerservice@gtpcompany.com](mailto:customerservice@gtpcompany.com)

Date: 1/1/12      Scale: NTS      Rev.: A

Description:  
PVC FLOW CONTROL VALVE

Model:  
FCP05

NOTICE: This drawing and it's contents are for the specific use of GTP customers only. It is not to be duplicated or copied without expressed written concent or General Treatment Products, Inc. We reserve the right to modify this drawing without notice.



**MATERIALS OF CONSTRUCTION:**

x

Capacity: x Gallons

Max Temp.: 70 F

Max Press.: 150 PSI

Weight: 2 Lbs.

Voltage.: x VAC x Phs x Hz

FLA.: x amps

20	x	x
19	x	x
18	x	x
17	x	x
16	x	x
15	x	x
14	x	x
13	x	x
12	x	x
11	x	x
10	x	x
9	x	x
8	x	x
7	x	x
6	x	x
5	x	x
4	x	x
3	x	x
2	x	x
1	x	x

#	PART	DESCRIPTION
F	x	xx/xx/xx
E	x	xx/xx/xx
D	x	xx/xx/xx
C	x	xx/xx/xx
B	x	xx/xx/xx

REV DESCRIPTION DATE



General Treatment Products, Inc.  
 PO Box 8697, Brea, CA 92822  
 Phone: 714) 257-9165 <http://www.gtpcompany.com>  
 Fax: 714) 257-9215 [customerservice@gtpcompany.com](mailto:customerservice@gtpcompany.com)

Date: 11/01/13 Scale: NTS Rev.: A

Description:  
**0-10GPM FLOW INDICATOR**

Model:  
**FI10**

NOTICE: This drawing and its contents are for the specific use of GTP customers only. It is not to be duplicated or copied without expressed written consent of General Treatment Products, Inc. We reserve the right to modify this drawing without notice.



**MATERIALS OF CONSTRUCTION:**  
x

Capacity:	x	Gallons				
Max Temp.:	70	F				
Max Press.:	150	PSI				
Weight:	2	Lbs.				
Voltage.:	x	VAC	x	Phs	x	Hz
FLA.:	x	amps				

20	x	x
19	x	x
18	x	x
17	x	x
16	x	x
15	x	x
14	x	x
13	x	x
12	x	x
11	x	x
10	x	x
9	x	x
8	x	x
7	x	x
6	x	x
5	x	x
4	x	x
3	x	x
2	x	x
1	x	x

#	PART	DESCRIPTION
F	x	xx/xx/xx
E	x	xx/xx/xx
D	x	xx/xx/xx
C	x	xx/xx/xx
B	x	xx/xx/xx
REV	DESCRIPTION	DATE



General Treatment Products, Inc.  
 PO Box 8697, Brea, CA 92822  
 Phone: 714) 257-9165 <http://www.gtpcompany.com>  
 Fax: 714) 257-9215 [customerservice@gtpcompany.com](mailto:customerservice@gtpcompany.com)

Date: 11/01/13 Scale: NTS Rev.: A

Description:  
**BRASS SIGHT FLOW INDICATOR**

Model:  
**SFI125**





MATERIALS OF CONSTRUCTION:  
BRASS, STAINLESS STEEL, DUCTILE IRON

Capacity: N/A Gallons  
Max Temp.: 200 F  
Max Press.: 200 PSI  
Weight: 1 Lbs.

20	x	x
19	x	x
18	x	x
17	x	x
16	x	x
15	x	x
14	x	x
13	x	x
12	x	x
11	x	x
10	x	x
9	x	x
8	x	x
7	x	x
6	x	x
5	x	x
4	x	x
3	x	x
2	x	x
1	x	x

#	PART	DESCRIPTION
F	x	xx/xx/xx
E	x	xx/xx/xx
D	x	xx/xx/xx
C	x	xx/xx/xx
B	x	xx/xx/xx


REV DESCRIPTION DATE

General Treatment Products, Inc.  
PO Box 8697, Brea, CA 92822  
Phone: 714) 257-9165 <http://www.gtpcompany.com>  
Fax: 714) 257-9215 [customerservice@gtpcompany.com](mailto:customerservice@gtpcompany.com)

Date: 11/01/13 Scale: NTS Rev.: A

Description:  
BRASS SAMPLE VALVE

Model:  
SVB



**MATERIALS OF CONSTRUCTION:**

x

Capacity: x Gallons

Max Temp.: 70 F

Max Press.: 150 PSI

Weight: 2 Lbs.

Voltage.: x VAC x Phs x Hz

FLA.: x amps

20	x	x
19	x	x
18	x	x
17	x	x
16	x	x
15	x	x
14	x	x
13	x	x
12	x	x
11	x	x
10	x	x
9	x	x
8	x	x
7	x	x
6	x	x
5	x	x
4	x	x
3	x	x
2	x	x
1	x	x


#	PART	DESCRIPTION
F	x	xx/xx/xx
E	x	xx/xx/xx
D	x	xx/xx/xx
C	x	xx/xx/xx
B	x	xx/xx/xx
REV	DESCRIPTION	DATE

General Treatment Products, Inc.  
 PO Box 8697, Brea, CA 92822  
 Phone: 714) 257-9165 <http://www.gtpcompany.com>  
 Fax: 714) 257-9215 [customerservice@gtpcompany.com](mailto:customerservice@gtpcompany.com)

Date: 11/01/13 Scale: NTS Rev.: A

Description:  
**PVC SAMPLE VALVE**

Model:  
**SVP**



MATERIALS OF CONSTRUCTION:  
BRASS, STAINLESS STEEL, DUCTILE IRON

Capacity: N/A Gallons

Max Temp.: 200 F

Max Press.: 200 PSI

Weight: 1 Lbs.

20	x	x
19	x	x
18	x	x
17	x	x
16	x	x
15	x	x
14	x	x
13	x	x
12	x	x
11	x	x
10	x	x
9	x	x
8	x	x
7	x	x
6	x	x
5	x	x
4	x	x
3	x	x
2	x	x
1	x	x

#	PART	DESCRIPTION
F	x	xx/xx/xx
E	x	xx/xx/xx
D	x	xx/xx/xx
C	x	xx/xx/xx
B	x	xx/xx/xx

REV	DESCRIPTION	DATE

General Treatment Products, Inc.  
PO Box 8697, Brea, CA 92822  
Phone: 714) 257-9165 <http://www.gtpcompany.com>  
Fax: 714) 257-9215 [customerservice@gtpcompany.com](mailto:customerservice@gtpcompany.com)

Date: 1/1/12 Scale: NTS Rev.: A

Description:  
CAST IRON Y-STRAINER

Model:  
YSCI