



MATERIALS OF CONSTRUCTION:  
BRONZE, HDPE, GLASS, SILICONE RUBBER

MODEL	A	B	C	WEIGHT	FLOW RANGE
FM-050	3.85"	6.4"	4.6"	3.9 lbs	.15 - 13 GPM
FM-075	3.85"	6.4"	4.6"	5.2 lbs	.22 - 22 GPM
FM-100	4.1"	10.2"	4.8"	5.8 lbs	.31 - 31 GPM
FM-150	4.9"	11.8"	6.4"	11.4 lbs	.88 - 88 GPM
FM-200	4.9"	11.8"	6.4"	15.8 lbs	1.9 - 132 GPM



Capacity: x Gallons

Max Temp.: 104 F

Max Press.: 145 PSI

20	x	x
19	x	x
18	x	x
17	x	x
16	x	x
15	x	x
14	x	x
13	x	x
12	x	x
11	x	x
10	x	x
9	x	x
8	x	x
7	x	x
6	x	x
5	x	x
4	x	x
3	x	x
2	x	x
1	x	x

#	PART	DESCRIPTION
F	x	xx/xx/xx
E	x	xx/xx/xx
D	x	xx/xx/xx
C	x	xx/xx/xx
B	x	xx/xx/xx


REV DESCRIPTION DATE

General Treatment Products, Inc.  
PO Box 8697, Brea, CA 92822  
Phone: 714) 257-9165 <http://www.gtpcompany.com>  
Fax: 714) 257-9215 [customerservice@gtpcompany.com](mailto:customerservice@gtpcompany.com)

Date: 11/1/2014 Scale: NTS Rev.: A



Description:  
FLOW METER (BLUE) COLD WATER

Model:  
FM-xxx



MATERIALS OF CONSTRUCTION:  
BRONZE, HDPE, GLASS, SILICONE RUBBER

MODEL	A	B	C	WEIGHT	FLOW RANGE
FM-H050	3.85"	6.4"	4.6"	3.9 lbs	.15 - 13 GPM
FM-H075	3.85"	6.4"	4.6"	5.2 lbs	.22 - 22 GPM
FM-H100	4.1"	10.2"	4.8"	5.8 lbs	.31 - 31 GPM
FM-H150	4.9"	11.8"	6.4"	11.4 lbs	.88 - 88 GPM
FM-H200	4.9"	11.8"	6.4"	15.8 lbs	1.9 - 132 GPM



Capacity: x Gallons

Max Temp.: 198 F

Max Press.: 145 PSI

20	x	x
19	x	x
18	x	x
17	x	x
16	x	x
15	x	x
14	x	x
13	x	x
12	x	x
11	x	x
10	x	x
9	x	x
8	x	x
7	x	x
6	x	x
5	x	x
4	x	x
3	x	x
2	x	x
1	x	x

#	PART	DESCRIPTION
F	x	xx/xx/xx
E	x	xx/xx/xx
D	x	xx/xx/xx
C	x	xx/xx/xx
B	x	xx/xx/xx


REV DESCRIPTION DATE

General Treatment Products, Inc.  
PO Box 8697, Brea, CA 92822  
Phone: 714) 257-9165 <http://www.gtpcompany.com>  
Fax: 714) 257-9215 [customerservice@gtpcompany.com](mailto:customerservice@gtpcompany.com)

Date: 11/1/2014 Scale: NTS Rev.: A



Description:  
FLOW METER (RED) HOT WATER

Model:  
FM-Hxxx



MATERIALS OF CONSTRUCTION:  
 NYLON, HDPE, GLASS, SILICONE RUBBER

MODEL	A	B	C	WEIGHT	FLOW RANGE
FM-N050	4.1"	6.5"	4.7"	1.7 lbs	.15 - 15 GPM
FM-N075	4.1"	7.7"	4.7"	3.0 lbs	.22 - 22 GPM
FM-N100	4.3"	8.8"	4.9"	4.4 lbs	.31 - 31 GPM



Capacity: x Gallons

Max Temp.: 104 F

Max Press.: 145 PSI

20	x	x
19	x	x
18	x	x
17	x	x
16	x	x
15	x	x
14	x	x
13	x	x
12	x	x
11	x	x
10	x	x
9	x	x
8	x	x
7	x	x
6	x	x
5	x	x
4	x	x
3	x	x
2	x	x
1	x	x

#	PART	DESCRIPTION
F	x	xx/xx/xx
E	x	xx/xx/xx
D	x	xx/xx/xx
C	x	xx/xx/xx
B	x	xx/xx/xx

REV DESCRIPTION DATE

General Treatment Products, Inc.  
 PO Box 8697, Brea, CA 92822  
 Phone: 714) 257-9165 <http://www.gtpcompany.com>  
 Fax: 714) 257-9215 [customerservice@gtpcompany.com](mailto:customerservice@gtpcompany.com)

Date: 11/1/2014 Scale: NTS Rev.: A

Description:  
**FLOW METER (BLACK) COLD WATER**

Model:  
**FM-Nxxx**