



MATERIALS OF CONSTRUCTION:
POLYETHYLENE, PVC, BRASS, POLYPRO

Capacity:	7.5	Gallons
Max Temp.:	85	F
Max Press.:	30	PSI
Weight:	21	Lbs.
Voltage.:	115	VAC 1 Phs 60 Hz
FLA.:	3	amps
20	x	x
19	x	x
18	x	x
17	x	x
16	x	x
15	x	x
14	x	x
13	x	x
12	x	x
11	x	x
10	x	x
9	x	x
8	x	x
7	x	x
6	x	x
5	x	x
4	x	x
3	x	x
2	x	x
1	x	x
#	PART	DESCRIPTION
F	x	xx/xx/xx
E	x	xx/xx/xx
D	x	xx/xx/xx
C	x	xx/xx/xx
B	x	xx/xx/xx



REV	DESCRIPTION	DATE
-----	-------------	------



General Treatment Products, Inc.
PO Box 8697, Brea, CA 92822
Phone: 714) 257-9165 <http://www.gtpcompany.com>
Fax: 714) 257-9215 customerservice@gtpcompany.com

Date: 12/01/15 Scale: NTS Rev.: A

Description:
7.5GL RESIDENTIAL GLYCOL FEEDER

Model:
GRE07-E7-4





MATERIALS OF CONSTRUCTION:
POLYETHYLENE, PVC, BRASS, POLYPRO

Capacity: 15 Gallons
Max Temp.: 85 F
Max Press.: 30 PSI
Weight: 21 Lbs.
Voltage.: 115 VAC 1 Phs 60 Hz
FLA.: 3 amps

20	x	x
19	x	x
18	x	x
17	x	x
16	x	x
15	x	x
14	x	x
13	x	x
12	x	x
11	x	x
10	x	x
9	x	x
8	x	x
7	x	x
6	x	x
5	x	x
4	x	x
3	x	x
2	x	x
1	x	x

#	PART	DESCRIPTION
F	x	xx/xx/xx
E	x	xx/xx/xx
D	x	xx/xx/xx
C	x	xx/xx/xx
B	x	xx/xx/xx




REV	DESCRIPTION	DATE
-----	-------------	------

General Treatment Products, Inc.
 PO Box 8697, Brea, CA 92822
 Phone: 714) 257-9165 <http://www.gtpcompany.com>
 Fax: 714) 257-9215 customerservice@gtpcompany.com

Date: 12/01/15 Scale: NTS Rev.: A

Description:
15GL RESIDENTIAL GLYCOL FEEDER

Model:
GRE15-E7-4



MATERIALS OF CONSTRUCTION:
POLYETHYLENE, CARBON STEEL, BRASS

Capacity:	30	Gallons
Max Temp.:	85	F
Max Press.:	0	PSI
Weight:	x	Lbs.
Voltage.:	115	VAC 1 Phs 60 Hz
FLA.:	1.0	amps

20	x	x
19	x	x
18	x	x
17	x	x
16	x	x
15	x	x
14	x	x
13	x	x
12	x	x
11	x	x
10	x	x
9	x	x
8	x	x
7	x	x
6	x	x
5	x	x
4	x	x
3	x	x
2	x	x
1	x	x

#	PART	DESCRIPTION
F	x	xx/xx/xx
E	x	xx/xx/xx
D	x	xx/xx/xx
C	x	xx/xx/xx
B	x	xx/xx/xx
REV	DESCRIPTION	DATE




General Treatment Products, Inc.
PO Box 8697, Brea, CA 92822
Phone: 714) 257-9165 <http://www.gtpcompany.com>
Fax: 714) 257-9215 customerservice@gtpcompany.com

Date: 05/01/19 Scale: NTS Rev.: A

Description:
RESIDENTIAL GLYCOL FEEL PACKAGE

Model:
GR35-E7-4

NOTICE: This drawing and it's contents are for the specific use of GTP customers only. It is not to be duplicated or copied without expressed written consent of General Treatment Products, Inc. We reserve the right to modify this drawing without notice.



MATERIALS OF CONSTRUCTION:
POLYETHYLENE, CARBON STEEL, BRASS

Capacity:	30	Gallons
Max Temp.:	85	F
Max Press.:	0	PSI
Weight:	x	Lbs.
Voltage.:	115 VAC 1 Phs 60 Hz	
FLA.:	1.0	amps

20	x	x
19	x	x
18	x	x
17	x	x
16	x	x
15	x	x
14	x	x
13	x	x
12	x	x
11	x	x
10	x	x
9	x	x
8	x	x
7	x	x
6	x	x
5	x	x
4	x	x
3	x	x
2	x	x
1	x	x

#	PART	DESCRIPTION
F	x	xx/xx/xx
E	x	xx/xx/xx
D	x	xx/xx/xx
C	x	xx/xx/xx
B	x	xx/xx/xx
REV	DESCRIPTION	DATE

General Treatment Products, Inc.
PO Box 8697, Brea, CA 92822
Phone: 714) 257-9165 <http://www.gtpcompany.com>
Fax: 714) 257-9215 customerservice@gtpcompany.com

Date: 05/01/19 Scale: NTS Rev.: A
Description:
RESIDENTIAL GLYCOL FEEL PACKAGE
Model:
GR50-E7-4

NOTICE: This drawing and it's contents are for the specific use of GTP customers only. It is not to be duplicated or copied without expressed written consent of General Treatment Products, Inc. We reserve the right to modify this drawing without notice.