

NOTICE: This drawing and it's contents are for the specific use of APS customers only. It is not to be duplicated or copied without expressed written consent. AquaPhoenix reserves the right to modify this drawing without notice.





_				
	05 00 NOTES			
	OF CONSTRU	CTION: DLYPROPYLENE		
TOLILITIII	LIVE, I VC, I C	DETITION TEENE	•	
Capacity:	× Gallons			
Max Temp.:				
Max Press.:	120 PSI			
Weight:	24 Lbs.			
Voltage.:	x VAC x	Phs x	Hz	
FLA.:	x amps			
10 x	X			
9 x	X			
8 x 7 x	X X			
6 x	X			
5 x	X			
4 x	X			
3 x	X			
2 x	X			
1 X	X			
# PART	DESCRIPTI		/xx/xx	
E x			/xx/xx /xx/xx	
D x			/xx/xx	
C x			/xx/xx	
Вх			/xx/xx	
REV DESCRIPTION		DAT	ΓE	
	entific, Inc. Califori	nia Division		
113 Viking Ave, E Phone: 714-257-		//www.aquaphoeni	ksci.com	
Fax: 714-257-92:		info@aquaphoeni		
	01/2021 Scale:	NTS Rev.:	Α	
Description: WT-SERIES 2-POINT COUPON RACK				
Model: WT-P2079	 S			
	modify this draw	ing without notice		

NOTICE: This drawing and it's contents are for the specific use of APS customers only. It is not to be duplicated or copied without expressed written consent. AquaPhoenix reserves the right to modify this drawing without notice.





7				
	OF CONSTRU	JCTION: OLYPROPYLENE		
POLILIIII	LINE, FVC, F	OLIFKOFILLINE		
Capacity:	x Gallons			
Max Temp.:	85 F			
Max Press.:	120 PSI			
Weight:	24 Lbs.			
Voltage.:	x VAC	x Phs x Hz		
FLA.:	x amps			
10 x	X			
9 x 8 x	X X			
7 X	X			
6 x	X			
5 x	X			
4 x	X			
3 x	X			
2 x 1 x	X X			
# PART	DESCRIPT	ION		
F x		xx/xx/	/xx	
E x		xx/xx/	/xx	
D x		xx/xx/	/xx	
Сх		xx/xx/	/xx	
Вх		xx/xx/	/xx	
REV DESCRIPTION		DATE		
113 Viking Ave, E	entific, Inc. Califor Brea CA 92821	rnia Division		
Phone: 714-257- Fax: 714-257-92:	9165 http	://www.aquaphoenixsci. info@aquaphoenixsci.		
	01/2021 Scale:	NTS Rev.:	A	
Description:				
Model: WT-P207S-F				
		wing without notice.		

NOTICE: This drawing and it's contents are for the specific use of APS customers only. It is not to be duplicated or copied without expressed written consent. AquaPhoenix reserves the right to modify this drawing without notice. 24 16 13/16 16 16 1/8 **MATERIALS OF CONSTRUCTION:** 20 3/8 POLYETHYLENE, PVC, POLYPROPYLENE Capacity: Gallons X Max Temp.: 86 36 Max Press.: 120 PSI Weight: 36 Lbs. Voltage.: VAC Hz Phs FLA.: X amps 3 5/16 X X # PART DESCRIPTION xx/xx/xx xx/xx/xx 3 5/16 X xx/xx/xx xx/xx/xx xx/xx/xx REV DESCRIPTION DATE AquaPhoenix Scientific, Inc. California Division 4 5/8 113 Viking Ave, Brea CA 92821 Phone: 714-257-9165 Fax: 714-257-9215 http://www.aquaphoenixsci.com info@aquaphoenixsci.com Date: 01/01/2021 Scale:

Description:

Model: WT-P207L

WT-SERIES 2-POINT COUPON RACK LARGE

NOTICE: This drawing and it's contents are for the specific use of APS customers only. It is not to be duplicated or copied without expressed written consent. AquaPhoenix reserves the right to modify this drawing without notice. 24 16 13/16 16 16 1/8 MATERIALS OF CONSTRUCTION:
POLYETHYLENE, PVC, POLYPROPYLENE 20 3/8 Capacity: Gallons X Max Temp.: 86 36 Max Press.: 120 PSI Weight: 36 Lbs. Voltage.: VAC Hz Phs amps FLA.: X 3 5/16 X X # PART DESCRIPTION xx/xx/xx xx/xx/xx 3 5/16 X xx/xx/xx xx/xx/xx xx/xx/xx REV DESCRIPTION DATE AquaPhoenix Scientific, Inc. California Division 4 5/8 113 Viking Ave, Brea CA 92821 Phone: 714-257-9165 Fax: 714-257-9215 http://www.aquaphoenixsci.com info@aquaphoenixsci.com Date: 01/01/2021 Scale: Description:

WT-SERIES 2-POINT COUPON RACK LARGE


Model:

WT-P207L-F

NOTICE: This drawing and it's contents are for the specific use of APS customers only. It is not to be duplicated or copied without expressed written consent. AquaPhoenix reserves the right to modify this drawing without notice.

24


16 3/4





,					
		•			
	MATERIALS OF CONSTRUCTION: POLYETHYLENE, PVC, POLYPROPYLENE				
Capacity:	x Gallons				
Max Temp.:	86 F				
Max Press.:	120 PSI				
Weight:	42 Lbs.				
Voltage.:	x VAC x Phs x Hz				
FLA.:	x amps				
10 x	X				
9 x	X				
8 x	X				
7 x	X				
6 x 5 x	X				
4 x	×				
3 x	X				
2 x	X				
1 x	x				
# PART	DESCRIPTION				
F x	xx/xx/	'xx			
E x	xx/xx/	'xx			
D x	xx/xx/				
C x	xx/xx/	'xx			
Вх	xx/xx/	'xx			
REV DESCRIPTION DATE					
AquaPhoenix Scientific, Inc. California Division 113 Viking Ave, Brea CA 92821 Phone: 714-257-9165 http://www.aquaphoenixsci.com Fax: 714-257-9215 info@aquaphoenixsci.com					
Date: 01/01/2021 Scale: NTS Rev.: A					
Description: WT-SERIES 4-POINT COUPON RACK LARGE					
Model:					

NOTICE: This drawing and it's contents are for the specific use of APS customers only. It is not to be duplicated or copied without expressed written consent. AquaPhoenix reserves the right to modify this drawing without notice.





-				
	OF CONSTRUCTION:			
POLYETHYL	LENE, PVC, POLYPROPYLENE			
Capacity:	x Gallons			
Max Temp.:	86 F			
Max Press.:	120 PSI			
Weight:	42 Lbs.			
Voltage.:	x VAC x Phs x Hz			
FLA.:	x amps			
10 x	х			
9 x 8 x	X			
8 x 7 x	×			
6 x	X			
5 x	x			
4 x	X			
3 x	X			
2 x	X			
# PART	X DESCRIPTION			
F X	xx/xx/xx			
E x	xx/xx/xx			
D x	xx/xx/xx			
Сх	xx/xx/xx			
Вх	xx/xx/xx			
REV DESCRIPTION	DATE			
AquaPhoenix Scientific, Inc. California Division 113 Viking Ave, Brea CA 92821 Phone: 714-257-9165 http://www.aquaphoenixsci.com Fax: 714-257-9215 info@aquaphoenixsci.com				
Date: 01/0	01/2021 Scale: NTS Rev.: A			
Description: WT-SERIES	S 4-POINT COUPON RACK LARGE			
Model:				

NOTICE: This drawing and it's contents are for the specific use of APS customers only. It is not to be duplicated or copied without expressed written consent. AquaPhoenix reserves the right to modify this drawing without notice. 36 -16 11/16 -- 15 -4 1/16 **MATERIALS OF CONSTRUCTION:** 10 9/16 POLYETHYLENE, PVC, POLYPROPYLENE 6 3/4 Capacity: Gallons 16 1/2 -Max Temp.: 86 24 11/16 Max Press.: 120 PSI Weight: 56 Lbs. Voltage.: VAC Hz Phs 18 5/16 FLA.: X amps 3 5/16 3 5/16 X X 3 15/16 # PART DESCRIPTION xx/xx/xx xx/xx/xx D x xx/xx/xx C x xx/xx/xx xx/xx/xx REV DESCRIPTION DATE AquaPhoenix Scientific, Inc. California Division 113 Viking Ave, Brea CA 92821 Phone: 714-257-9165 Fax: 714-257-9215 http://www.aquaphoenixsci.com info@aquaphoenixsci.com Date: 01/01/2021 Scale:

Description:

WT-P207S-2P

Model:

WT-SERIES 2-POINT CPN RACK/PUMP MNT

NOTICE: This drawing and it's contents are for the specific use of APS customers only. It is not to be duplicated or copied without expressed written consent. AquaPhoenix reserves the right to modify this drawing without notice. 36 -16 11/16 -- 15 -4 1/16 **MATERIALS OF CONSTRUCTION:** 10 9/16 POLYETHYLENE, PVC, POLYPROPYLENE 6 3/4 Capacity: Gallons 16 1/2 Max Temp.: 86 24 11/16 Max Press.: 120 PSI Weight: 56 Lbs. Voltage.: VAC Hz Phs 18 5/16 FLA.: X amps 3 5/16 3 5/16 X X 3 15/16 # PART DESCRIPTION xx/xx/xx xx/xx/xx D x xx/xx/xx xx/xx/xx xx/xx/xx REV DESCRIPTION DATE AquaPhoenix Scientific, Inc. California Division 113 Viking Ave, Brea CA 92821 Phone: 714-257-9165 Fax: 714-257-9215 http://www.aquaphoenixsci.com info@aquaphoenixsci.com Date: 01/01/2021 Scale: Description: WT-SERIES 2-POINt CPN RACK/PUMP MNT

Model:

WT-P207S-2PF

NOTICE: This drawing and it's contents are for the specific use of APS customers only. It is not to be duplicated or copied without expressed written consent. AquaPhoenix reserves the right to modify this drawing without notice. 16 20 1/2 24 **MATERIALS OF CONSTRUCTION:** POLYETHYLENE, POLYPROPYLENE Capacity: Gallons Max Temp.: x F Max Press.: x PSI Weight: 22 Lbs. Voltage.: VAC Hz Phs FLA.: X amps 2 x X # PART DESCRIPTION xx/xx/xx xx/xx/xx xx/xx/xx 4 5/16 xx/xx/xx xx/xx/xx REV DESCRIPTION DATE AquaPhoenix Scientific, Inc. California Division 113 Viking Ave, Brea CA 92821 Phone: 714-257-9165 Fax: 714-257-9215 http://www.aquaphoenixsci.com info@aquaphoenixsci.com Date: 01/01/2021 Scale: Description: WT-SERIES BACKBOARD SMALL Model:

WT-PMB1

NOTICE: This drawing and it's contents are for the specific use of APS customers only. It is not to be duplicated or copied without expressed written consent. AquaPhoenix reserves the right to modify this drawing without notice. 16 **MATERIALS OF CONSTRUCTION:** POLYETHYLENE, POLYPROPYLENE 32 1/2 36 Capacity: Gallons Max Temp.: x F Max Press.: x PSI Weight: 32 Lbs. Voltage.: VAC Hz Phs FLA.: X amps 2 x X # PART DESCRIPTION xx/xx/xx xx/xx/xx D x xx/xx/xx xx/xx/xx xx/xx/xx 4 5/16 REV DESCRIPTION DATE AquaPhoenix Scientific, Inc. California Division 113 Viking Ave, Brea CA 92821 Phone: 714-257-9165 Fax: 714-257-9215 http://www.aquaphoenixsci.com info@aquaphoenixsci.com Date: xx/xx/xx Scale: Description:
WT-SERIES BACKBOARD LARGE Model: WT-PMB2

NOTICE: This drawing and it's contents are for the specific use of APS customers only. It is not to be duplicated or copied without expressed written consent. AquaPhoenix reserves the right to modify this drawing without notice. HANGER/HAND HOLES **AWNING** 20 1/2 24 **MATERIALS OF CONSTRUCTION:** POLYETHYLENE, POLYPROPYLENE TRAY Capacity: Gallons Max Temp.: x F Max Press.: x PSI Weight: 42 Lbs. Voltage.: VAC Phs Hz FLA.: X amps 35 **POLYPROPYLENE** 10 x **BACKBOARD** 36 36X24 POLY BACKBOARD AND AWNING 2 x X # PART DESCRIPTION xx/xx/xx xx/xx/xx 7 9/16 xx/xx/xx xx/xx/xx xx/xx/xx REV DESCRIPTION DATE AquaPhoenix Scientific, Inc. California Division 113 Viking Ave, Brea CA 92821 Phone: 714-257-9165 http://www.aquaphoenixsci.com Fax: 714-257-9215 info@aquaphoenixsci.com Date: 01/01/2021 Scale: Description:

WT-SERIES BACKBOARD SMALL 2P

Model: WT-PMB3